	Analyzing SARS-CoV-2 Data in Terra using Theiagen's TheiaCoV Illumina SE Workflow Version 1	
	Document TG-SC2-SE, Version 3	
	Date:	Workflow Versions
	4/29/2024	PHB v2

1. PURPOSE/SCOPE

To standardize the process of analyzing SARS-COV-2 (SC2) next generation sequencing (NGS) data using Theiagen's TheiaCoV_Illumina_SE_PHB workflow in Terra to generate assemblies, quality control (QC) metrics, and determine Nextclade clade and Pangolin lineage assignments. Acceptable data types include Illumina's single end (SE) raw read file format.

2. REQUIRED RESOURCES

- Computer
- Internet connection: at least 10 and 5Mbps for download and upload speeds, respectively
- Internet browser
  - Google Chrome, Firefox, or Edge
- Google account
- Terra account, linked to Google account
- Illumina SE raw read files uploaded to Terra workspace, see TG-TER-03 or TG-TER-04
- Theiagen's TheiaCoV_Illumina_SE_PHB workflow in Terra, see appendix 10.2

IMPORTANT NOTES
- Metadata column headers and workflow input text indicated in gray in this SOP are customizable; black is required text
- Terra data table column headers become available as workflow inputs when running workflows, search for them in workflow input dropdowns using the prefix *this.* to filter
- Filter for workspace data and files in workflow input dropdowns using the prefix *workspace.*

3. RELATED DOCUMENTS

Document Number	Document Name
TG-TER-03	Uploading Local or SRA NGS Data & Creating a Results Metadata Table in Terra
TG-TER-04	Linking BaseSpace and Importing BaseSpace Reads to Terra Workspace

4. PROCEDURE

4.1 RUNNING THE THEIACOV WORKFLOW

1. Open Terra and navigate to the *workflows* tab within the workspace containing SC2 data
2. Select the *TheiaCoV_Illumina_SE_PHB* workflow (Fig 1)
3. *Uncheck call caching* (Fig 2)
4. Choose the latest version of *version 2*, or the version internally validated (Fig 2, a)

Figure 1.

5. Select the second bullet to *run workflow(s) with inputs defined by data table* (Fig 2, b)
6. Select the relevant data table under the select *root entity type* dropdown (Fig 2, c)
7. Click *select data* (Fig 2, d)

Figure 2.

8. In the pop-up window *select the checkbox* for each sample to be included in the analysis (Fig 3)

   a *Click the down arrow and select all to process all specimens*

   b *Additionally, a subset of samples may be chosen using the search bar to filter before selecting the checkbox at the top to only select samples matching the search criteria*

   c Scroll to the bottom and click *ok*

Figure 3.

9. Specify the desired *dataset tags* and *docker image* inputs
   a   To run TheiaCoV_Illumina_SE_PHB v2.0.0 for the first time or use the newest dataset tags and docker images *upload the TheiaCov input json file* on the inputs tab by navigating to the Key Resources Notion page titled <u>Docker Image and Reference Materials for SARS-CoV-2 Genomic Characterization</u>

      i.   Expand the *TheiaCoV in PHB (v2.0.0 or higher)* section, followed by the *Terra.Bio Input JSONs for PHB v2.0.0 or higher*; click on the json file associated with the Illumina PE sequencing platform, <u>TheiaCoV_Illumina_SE_PHB_2024-04-19.json</u>, or newer

      ii. *Right click* and *save* the file (text does not have to be selected to save properly)

      iii. Return to the workflow in Terra, click *upload json* (Fig 4, red circle), *select* the saved json file, and click *open*

   b   *To run the workflow with previously saved dataset tags and docker images, no changes are needed*

Figure 4.

10. Set the first two attributes in the table to *this.read1* and *this.TheiaCoV_Illumina_SE_id* (Fig 4)
    a   Where *TheiaCoV_Illumina_SE* is the unique name of your data table in Terra
11. Manually choose the *primer_bed* file for the primer set used to sequence samples
    a   *Ctrl + F* and search for *bed* to highlight this field in Windows environments
    b   Labs using the Artic V4-1 will choose *workspace.Artic_V4-1_primer_bed*; for other primer bed files, see <u>Docker Image and Reference Materials for SARS-CoV-2 Genomic Characterization</u> for available primer bed files

      i. *To add workspace files for availability in input dropdowns, refer to appendix 10.2*

12. Specify outputs by clicking on the *outputs* tab and *use defaults* (Fig 5)

13. Click *save*
14. Launch the workflow by clicking *run analysis* (Fig 5); enter desired comments and click *launch*


Figure 5.

4.2   QUALITY ASSESSMENT OF THEIACOV OUTPUTS

1. Navigate to the *data* tab of the workspace containing SC2 data and open the pertinent data table

2. Click *settings* (Fig 6, green rectangle) and select *none* to deselect all output columns (Fig 7, yellow highlight)

3. To simplify the table, select the three following outputs that will be used to make a QC assessment: *assembly_length_unambiguous*, *Number_N*, and *percent_reference_coverage*

Figure 6.

a. *Optional: Save this selection by clicking in the* save this column selection *field and* naming it *(e.g. QC_assessment); do not include any spaces in the name (Fig 7, red rectangle)*

b. Click *done*

4. *Optional: add a column to record QC PASS/FAIL by clicking* edit, add a column *(Fig 6)*

a. *Name the new column (e.g. QC_Call); do not include any spaces*

b. *Set the value type as* string

c. *Click* save

Figure 7.

5. Use table 1 to assess the quality of each sample's genome assembly (see next page) &/or lab-specific quality metrics
6. *Optional: notate in the QC_assessment field for each sample* PASS *or* FAIL *by* clicking the pencil icon *in the corresponding field (Fig 6, red circle)*
7. For samples that pass the guidance thresholds, proceed to section 4.3
    a. For samples that do not pass guidance thresholds, resequence
       i. Samples not meeting guidance thresholds indicated here may proceed to analysis at the discretion of the laboratory

Table 1. Guidance thresholds for genome assembly QC

QC Metric	Guidance Threshold*[1]
Number N	<5kbp
Assembly length unambiguous	>24kbp
Percent reference coverage	>83%

---

[1] Metrics and thresholds are presented for guidance only as there are currently no standard assembly metric requirements; internal validation procedures will ultimately define acceptable assembly QC parameters

4.3 DETERMINING SARS-CoV-2 CLADES, LINEAGES, AND WHO VARIANTS OF CONCERN (VoC)

1. Navigate to the *data* tab of the Terra workspace containing SC2 data of interest
2. *Open the data table* by clicking on the name of the data table in the left sidebar
3. View *settings* above the data table (Fig 6), select *none* (Fig 7)
4. Select the following columns: *nextclade_clade* and *pango_lineage*
   a. *Optional: save this column group for future use by clicking the* save this column selection *field,* naming it *(e.g. SC2_Results), and clicking* save
5. Click *done*
6. Determine the Nextclade clade for each sample
   a. In the data table, find the column titled *nextclade_clade*; result formats will use the following nomenclature: *21L (Omicron)* where:
      i. *21L* indicates the sample clade and
      ii. In parentheses, *(Omicron)*, contains the WHO variant of concern classification
         1. *Not every sample will belong to a WHO classification*
   b. *Samples indicated as recombinant may indicate a case where multiple strains have combined during viral replication producing a new lineage*
   c. *More information on SARS-CoV-2 recombinants can be found at the following Github site:* *pipeline-resources/docs/sc2-recombinants.md at main · pha4ge/pipeline-resources · GitHub*
7. Identify the Pangolin lineage for each sample
   a. In the data table, find the column titled *pango_lineage*; nomenclature will be similar to the following: B.1.167
   b. *For more information on each of the lineages, visit* https://cov-lineages.org/lineage_list.html
8. Follow lab-specific resulting and reporting procedures, as applicable

5. QUALITY RECORDS
- Raw read files
- Workflow version and input parameters
- Reference sequence, if applicable
   a. SC2: Wu, F., et al. (2020). Severe acute respiratory syndrome coronavirus 2 isolate Wuhan-Hu-1, complete genome. NC_045512.2. [FASTA Genome Assembly]. NCBI. https://www.ncbi.nlm.nih.gov/nuccore/1798174254.
- Sample read, assembly, and result-specific QC metrics
- All workflow outputs relevant to results, including tool and database versions

6. TROUBLESHOOTING

- Consult with internal staff familiar with this procedure or contact support@theiagen.com for troubleshooting inquiries
- For document edit requests, contact support@theiagen.com

7. LIMITATIONS

1. This SOP is written for the analysis of SC2 data; v2+ of the TheiaCoV_Illumina_PE_PHB workflow is also compatible with the following pathogens: monkeypox virus (MPXV) and west nile virus (WNV). Refer to Theiagen Public Health Resources Notion documentation for organism-specific parameters and details.

8. REFERENCES

1. Smith, E., Wright, S., & Libuit, K. (2022, June 28). *Identifying SARS-CoV-2 Recombinants*. Github. Retrieved June 16, 2023, from https://github.com/pha4ge/pipeline-resources/blob/main/docs/sc2-recombinants.md#identifying-sars-cov-2-recombinants

2. O'Toole, Áine et al. "Tracking the international spread of SARS-CoV-2 lineages B.1.1.7 and B.1.351/501Y-V2 with grinch." *Wellcome open research* vol. 6 121. 17 Sep. 2021, doi:10.12688/wellcomeopenres.16661.2

9. REVISION HISTORY

| Revision	Version	Release Date
Document creation	1	7/2023
Added TG-TER-04 reference, uncheck call caching, updated input json, figures, and formatting	2	9/2023
Removed section 4.1 for creating a metadata tsv file (refer to TG-TER-03 and TG-TER-04 for details); updated quality records and limitations sections; added primer bed file upload instructions; added appendices 10.1 and 10.2	3	4/2024

10. APPENDICES

10.1 IMPORTING THE THEIACOV_ILLUMINA_SE_PHB WORKFLOW FROM DOCKSTORE

Figure 8

Figure 9

1. In the *Terra workspace* of interest, open the *workflows* tab and click *find a workflow* (Fig 8)
2. In the pop-up window, click *dockstore* (Fig 9)
3. In the top banner click *Organizations*; then click *Theiagen Genomics* (Fig 10)
4. Open the Public Health Bioinformatics (PHB) collection (Fig 11)

Figure 10

Figure 11

5. To find the TheiaCoV_Illumina_SE_PHB workflow in Windows environments, hold *Ctrl + F* and *search TheiaCoV_Illumina_SE*, then click on the link(Fig 12)

Figure 12

6. Click *Terra* to launch the workflow in Terra (Fig 13)

Figure 13

7. Choose the *destination workspace* in the dropdown and click *import* (Fig 14)

Figure 14

10.2 ADDING WORKSPACE DATA ELEMENTS

1. Navigate to the *Terra workspace* where analysis will be run
2. To upload local files, open the *Files* tab in the bottom left of the workspace (Fig 15)
   a. Click *upload* (Fig 16)
   b. Once the upload is complete, *right click* on the file name and click *copy link*

Figure 15.

Figure 16

3. Open the *workspace data* tab (Fig 17) and click the *blue plus symbol* in the bottom right (Fig 17)
4. Click in the *key field* and *name the element* being added
   a. *E.g. to add the Artic v4-1 primer bed file, the key* Artic_v4-1_primer_bed *may be used*
5. In the value field, choose *string* as the value type
   a. *Paste the file path*; the value should start with *gs://*
   b. **NOTE**: *For other string elements like dataset tags and docker images* paste the ID value
      i. *E.g. for the nextclade docker image, add* nextstrain/nextclade:2.14.0
      ii. *Always ensure the docker images and dataset tags are aligned with versions used for internal validation procedures*
6. *Optional: A description may be added to denote the date updated with staff initials*
7. Click the blue check mark on the right-hand side of the variable to save it
   a. The variable will now be available as a workflow input which can be found by typing the prefix *workspace.* plus the key name *artic_v4-1_primer_bed*

Figure 17.